

M A T E R I A L S A F E T Y D A T A S H E E T

FAMOWOOD WATER-BASED PUTTY - ALL COLORS

Page: 2

EXTINGUISHING MEDIA: CO2, Dry Chemical, Water Fog

SPECIAL FIREFIGHTING PROCEDURES

None. Water may be used to cool fire exposed containers to keep from rupturing.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None.

===== SECTION 5 - REACTIVITY DATA =====

STABILITY: Stable

CONDITIONS TO AVOID

None.

INCOMPATIBILITY (MATERIALS TO AVOID)

None.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

May form carbon dioxide, carbon monoxide, and various hydrocarbons upon combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

===== SECTION 6 - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

None.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause irritation to eyes and skin upon contact.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

None.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

None known. However, ingestion of product may cause gastrointestinal irritation.

HEALTH HAZARDS (ACUTE AND CHRONIC)

None.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: Yes OSHA REGULATED: No

Prolonged and repeated inhalation of wood dust or respirable crystalline silica containing dust in excess of appropriate exposure limits may cause silicosis, a lung disease. (*Please note Section II/Hazardous Ingredients to determine if wood dust or crystalline silica are present.*)

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

None known.

EMERGENCY AND FIRST AID PROCEDURES

EYES: Flush with plenty of clean water for 15 minutes while lifting eyelids. If irritation persists, seek medical aid. **SKIN:** Wash thoroughly with soap and water. If irritation develops, seek medical attention. **INGESTION:** If swallowed, get medical attention.

M A T E R I A L S A F E T Y D A T A S H E E T

FAMOWOOD WATER-BASED PUTTY - ALL COLORS

Page: 3

===== SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Shovel in container and wash area with detergent and water. This product contains less than 1% of a component which is toxic to fish.

WASTE DISPOSAL METHOD

If material is dry, dispose of in landfill approved for industrial solid waste. If material is wet, dispose of in accordance with local, state and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Store in cool, dry, well ventilated area between 40 F. (4 C.) and 90 F. (32 C.). Keep from freezing as product stability will be affected.

OTHER PRECAUTIONS

None.

===== SECTION 8 - CONTROL MEASURES =====

RESPIRATORY PROTECTION

A dust respirator is recommended when sanding cured putty. Work station conditions should be evaluated by management to determine proper protective equipment.

VENTILATION

None required.

PROTECTIVE GLOVES

May be used if skin is sensitive.

EYE PROTECTION

Splashing is unlikely. However, safety glasses are suggested in accordance with good industrial hygienic practices.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

None (unless needed to protect regular clothing).

WORK/HYGIENIC PRACTICES

Wash thoroughly after use.

===== SECTION 9 - DISCLAIMER =====

To the best of our knowledge, the information provided herein is accurate, obtained from sources believed to be accurate. Since the conditions and methods of use of our product are beyond our control, we disclaim any and all liability arising out of the improper use of this product or the information provided herewith.